11/

	Application No.	Applicant(s)
Notice of Allowability	10/602,959	MCCLEAN ET AL.
	Examiner	Art Unit
	Stephen J Kenny	3726
The MAILING DATE of this communication appeal claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication IGHTS. This application is subject to	plication. If not included not will be mailed in due course. THIS
1. A This communication is responsive to <u>Divisional application</u>	filed 6/24/03.	
2. ⊠ The allowed claim(s) is/are <u>1-14</u> .		
3. \boxtimes The drawings filed on <u>24 June 2003</u> are accepted by the E	xaminer.	
 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 	e,been received. e been received in Application No	
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	MENT of this application.	
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached EXAMINER es reason(s) why the oath or declar	R'S AMENDMENT or NOTICE OF ation is deficient.
6. CORRECTED DRAWINGS (as "replacement sheets") must		040) -4411
(a) including changes required by the Notice of Draftspers		-948) attached
1) hereto or 2) to Paper No./Mail Date		Office action of
(b) including changes required by the attached Examiner Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR teach sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the draw the header according to 37 CFR 1.121	ings in the front (not the back) of (d).
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the CAL MATERIAL.
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal	Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	y (PTO-413),
3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/ Paper No./Mail Date <u>6/24/03</u>	Paper No./Mail Da 08), 7. ⊠ Examiner's Amend	
4. Examiner's Comment Regarding Requirement for Deposit	-	ent of Reasons for Allowance
of Biological Material	9. Other	
		Jedan A3720
		A-372

payment of the issue fee.

1.7%

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

Authorization for this examiner's amendment was given in a telephone interview with Robert Collins on February 23, 2004.

The application has been amended as follows:

Claim 12, line 6, the phrase -- wherein said bead lies in one plane perpendicular to said skirt -- has been inserted after the word "bead".

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the method of making a dispenser package for a fluent product comprising: a detent on a base wall of said closure for releasably locking said closure to said container, wherein said detent means comprises a second opening in a top wall angularly spaced from a first opening & a lug on a base wall angularly spaced from said opening an opening in said closure for registry with said second opening in said top wall when said opening in said closure registers with at least one opening in said top wall; in combination with the other limitations of the claims, has not been disclosed in the prior art. In regards to claim 12, the "dispensing opening" is interpreted to be separate from

المياج الحجاء

'Application/Control Number: 10/602,959

Art Unit: 3726

the opening which engages the axially extending wall of the closure. The examiner consulted in class 222 during examination agreed to this interpretation.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen J Kenny whose telephone number is 703-306-0359. The examiner can normally be reached on mon - fri 9am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Peter Vo can be reached on 703-308-1789. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jehrer Auszu

Page 3